

## Declaration of Conformity

VA Imaging  
Philitelaaan 57  
5617 AK Eindhoven  
The Netherlands  
+31408514838

## Ref: Declaration of Conformity

Type of Equipment: Machine Vision Lenses

### Model Designation:

VA-LCM-1.3MP-12MM-F1.8-020-SWIR ; VA-LCM-TC-1-0.5X-WD100-015 ;  
VA-LCM-1.3MP-16MM-F1.8-020-SWIR ; VA-LCM-TC-1-0.5X-WD65-110-015  
VA-LCM-1.3MP-25MM-F1.8-020-SWIR ; VA-LCM-TC-1-0.75X-WD65-015  
VA-LCM-1.3MP-35MM-F1.8-020-SWIR ; VA-LCM-TC-1-0.8X-WD110-015  
VA-LCM-5MP-06MM-F2.0-018 ; VA-LCM-TC-0-0.8X-WD110-015 Lens  
VA-LCM-5MP-08MM-F2.0-018 ; VA-LCM-5MP-04MM-F2.0-018; VA-LCM-TC-1-0.8X-WD65-015  
VA-LCM-5MP-12MM-F2.0-018 ; VA-LCM-TC-1-1.5X-WD65-015  
VA-LCM-5MP-16MM-F2.0-018 ; VA-LCM-TC-1-1X-WD110-015  
VA-LCM-5MP-25MM-F2.0-018; VA-LCM-TC-1-1X-WD65-015  
VA-LCM-5MP-35MM-F2.0-018; VA-LCM-TC-1-2X-WD110-015  
VA-LCM-5MP-50MM-F2.8-018 ; VA-LCM-TC-1-2X-WD65-015  
VA-LCM-5MP-75MM-F2.8-018; VA-LCM-TC-1-3X-WD65-015  
VA-LFM-65MP-80MM-F3.6-42C ; VA-LCM-TC-1-4X-WD110-015  
VA-LCM-5MP-08MM-F1.4-015 ; VA-LCM-TC-1-4X-WD65-015  
VA-LCM-5MP-8MM-F1.4-015-AF ; VA-LCM-TC-1-6X-WD110-015  
VA-LCM-5MP-12MM-F1.4-015; VA-LCM-TC-1-6X-WD65-015  
VA-LCM-5MP-16MM-F1.4-015 ; VA-LCM-TC-0-6X-WD65-015  
VA-LCM-5MP-16MM-F1.4-015-AF ; VA-LCM-TC-0-6X-WD110-015  
VA-LCM-5MP-25MM-F1.4-015 ; VA-LCM-TC-0-4X-WD65-015  
VA-LCM-5MP-25MM-F1.4-015-AF; VA-LCM-TC-0-4X-WD110-015  
VA-LCM-5MP-35MM-F1.4-015 ; VA-LCM-TC-0-3X-WD65-015  
VA-LCM-5MP-35MM-F1.4-015-AF; VA-LCM-TC-0-2X-WD65-015  
VA-LCM-5MP-50MM-F1.4-015 ; VA-LCM-TC-0-1X-WD65-015  
VA-LCM-5MP-50MM-F1.4-015-AF ; VA-LCM-TC-0-1X-WD110-015  
VA-LM12-5MP-03MM-F2.8-020 ; VA-LCM-TC-0-1.5X-WD65-015  
VA-LM12-5MP-06MM-F2.8-018 ; VA-LCM-TC-0-0.8X-WD65-015  
VA-LM12-5MP-08MM-F2.8-018 ; VA-LCM-TC-0-0.75X-WD65-015  
VA-LM12-5MP-12MM-F2.8-018 ; VA-LCM-TC-0-0.5X-WD65-015  
VA-LCM-10MP-16MM-F2.8-015 ; VA-LCM-TC-0-0.5X-WD110-015  
VA-LCM-10MP-25MM-F2.8-015 ; VA-LCM-TC-0-0.3X-WD110-015  
VA-LCM-10MP-35MM-F2.8-015 ; VA-LCM-TC-0-0.4X-WD110-015  
VA-LCM-10MP-50MM-F2.8-015 ; VA-LCM-TC-0-0.4X-WD65-015  
VA-LCM-10MP-06MM-F1.8-110 ; VA-LCM-TC-0-0.3X-WD65-015  
VA-LCM-10MP-08MM-F1.4-110 ; VA-LCM-TC-0-0.2X-WD65-015  
VA-LCM-12MP-75MM-F2.8-110 ; VA-LCM-TC-0-1X-WD110-110

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substituted for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation, and testing of the products with respect to the relevant specific application or use thereof. Neither VA Imaging nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein or incorrect information in this document.



VA-LCM-12MP-16MM-F2.8-110-MACRO ; VA-LCM-TC-0-0.8X-WD110-110  
 VA-LCM-12MP-25MM-F2.8-110-MACRO ; VA-LCM-TC-1-1.5X-WD110-110  
 VA-LCM-12MP-35MM-F2.8-110-MACRO ; VA-LCM-TC-1-2X-WD110-110  
 VA-LCM-12MP-50MM-F2.8-110-MACRO ; VA-LCM-TC-1-3X-WD110-110  
 VA-LCM-12MP-75MM-F3.8-110-MACRO; VA-LCM-TC-0-3X-WD110-110  
 VA-LM12-16MP-03MM-F2.5-023 ; VA-LCM-TC-0-2X-WD110-110  
 VA-LCM-20MP-12MM-F2.8-110; VA-LCM-TC-0-1.5X-WD110-110  
 VA-LCM-20MP-16MM-F2.8-110 ; VA-LCM-TC-1-0.8X-WD110-110  
 VA-LCM-20MP-25MM-F2.8-110 ; VA-LCM-TC-1-1X-WD110-110  
 VA-LCM-20MP-35MM-F2.8-110 ; VA-LCM-TC-0-0.271X-WD118-015  
 VA-LCM-20MP-50MM-F2.8-110 ; VA-LCM-TC-0-0.708X-WD73-110  
 VA-LCM-20MP-16MM-F2.8-133 ; VA-LCM-TC-0-0.238X-WD128-015  
 VA-LCM-20MP-25MM-F2.8-133 ; VA-LCM-TC-0-0.511X-WD110-110  
 VA-LCM-25MP-08MM-F2.8-110 ; VA-LCM-TC-0-0.2X-WD110-015  
 VA-LCM-25MP-12MM-F2.8-110 ; VA-LCM-TC-0-0.3X-WD110-015  
 VA-LCM-25MP-16MM-F2.8-110 ; VA-LCM-TC-0-0.3X-WD65-015  
 VA-LCM-25MP-25MM-F2.8-110 ; VA-LCM-TC-0-0.5X-2X-WD65-015  
 VA-LCM-25MP-35MM-F2.8-110 ; VA-LCM-TC-0-0.438X-WD118-110  
 VA-LCM-25MP-50MM-F2.8-110 ; VA-LCM-TC-0-0.188X-WD167-015  
 VA-LM42-29MP-20MM-F4.5-30C ; VA-LCM-TC-0-0.22X-WD167-015  
 VA-LM42-29MP-25MM-F2.8-30C; VA-LCM-TC-1-0.2X-WD110-015  
 VA-LM42-29MP-28MM-F4-30C ; VA-LCM-TC-1-0.2X-WD65-015  
 VA-LM42-29MP-28MM-F2.8-30C ; VA-LCM-TC-0-0.367X-WD184-1.3-NI  
 VA-LFM-29MP-40MM-F2.8-43C ; VA-LCM-TC-1-0.3X-WD110-015  
 VA-LFM-29MP-50MM-F2.8-43C ; VA-LCM-TC-1-0.3X-WD65-015  
 VA-LFM-29MP-60MM-F4-64C; VA-LCM-TC-1-0.55X-WD220-110  
 VA-LFM-29MP-80MM-F5.6-58C ; VA-LCM-TC-1-0.5X-WD220-110  
 VA-LCM-45MP-25MM-F2.8-140 ; VA-LCM-TC-0-0.5X-WD220-110  
 VA-LCM-45MP-16MM-F2.8-140; VA-LCM-TC-0-0.55X-WD220-110  
 VA-LFM-65MP-25MM-F4-42C; VA-LCM-TC-0-0.367X-WD220-110  
 VA-LCM-10MP-12MM-F2.8-015 ; VA-LCM-TC-0-0.275X-WD220-110  
 VA-LCM-2MP-08MM-F1.4-015-SWIR; VA-LCM-TC-0-0.246X-WD220-110  
 VA-LCM-2MP-12MM-F1.4-015-SWIR ; VA-LCM-TC-0-0.23X-WD220-110  
 VA-LCM-2MP-16MM-F1.4-015-SWIR; VA-LCM-TC-0-0.22X-WD220-110  
 VA-LCM-2MP-25MM-F1.4-015-SWIR; VA-LCM-TC-0-0.142X-WD228-015  
 VA-LCM-2MP-50MM-F2.0-015-SWIR; VA-LCM-TC-0-0.158X-WD178-015  
 VA-LCM-5MP-09MM-F1.8-015; VA-LCM-TC-0-0.383X-WD128-110  
 VA-LCM-5MP-75MM-F2.0-015; VA-LCM-TC-0-0.114X-WD238-015  
 VA-LCM-5MP-150MM-F4.0-015; VA-LCM-TC-0-0.184X-WD238-110  
 VA-LCM-5MP-25MM-F1.8-100-SWIR; VA-LM58-TC-0-0.929X-WD118-39C  
 VA-LCM-5MP-35MM-F1.4-100-SWIR; VA-LCM-TC-0-0.1X-WD250-015  
 VA-LCM-5MP-50MM-F1.4-100-SWIR; VA-LCM-TC-0-0.084X-WD288-015  
 VA-LCM-10MP-05MM-F1.8-015; VA-LCM-TC-0-0.167X-WD263-110  
 VA-LM12-10MP-12MM-F2.5-015; VA-LM58-TC-0-0.433X-WD208-39C  
 VA-LM12-10MP-25MM-F2.5-015; VA-LCM-TC-0-0.076X-WD300-015  
 VA-LM12-10MP-35MM-F2.8-015; VA-LCM-TC-0-0.153X-WD273-110

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein.  
 This documentation is not intended as a substituted for and is not to be used for determining suitability or reliability of these products for specific user applications.  
 It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation, and testing of the products with respect to the relevant specific application or use thereof.  
 Neither VA Imaging nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein or incorrect information in this document.



VA-LM12-10MP-50MM-F4.0-015; VA-LM58-TC-0-0.488X-WD228-39C  
 VA-LM12-10MP-4.5MM-F4.5-023; VA-LCM-TC-0-0.067X-WD318-015  
 VA-LCM-12MP-06MM-F2.5-110; VA-LM58-TC-0-0.390X-WD238-39C  
 VA-LCM-12MP-100MM-F2.6-110; VA-LCM-TC-0-0.108X-WD318-110  
 VA-LCM-5MP-1.8MM-F1.4-015-FISH; VA-LCM-TC-0-0.097X-WD330-110  
 VA-LCS-3MP-2812MM-F1.4-025; VA-LM58-TC-0-0.229X-WD318-39C  
 VA-LCM-25MP-12MM-F2.4-120; VA-LCM-TC-0-0.085X-WD372-110  
 VA-LCM-25MP-16MM-F2.4-120; VA-LCM-TC-0-0.061X-WD465-110  
 VA-LCM-25MP-25MM-F2.4-120; VA-LCM-TC-0-0.038X-WD465-015  
 VA-LCM-25MP-35MM-F2.4-120; VA-LCM-TC-0-0.044X-WD338-015  
 VA-LCM-25MP-50MM-F2.4-120; VA-LCM-TC-0-0.048X-WD410-015  
 VA-LM72-151MP-55MM-F4.5-67C; VA-LCM-TC-0-0.053X-WD373-015  
 VA-LCM-5MP-150MM-F5.6-018; VA-LCM-TC-0-0.06X-WD330-015  
 VA-LCM-5MP-06MM-F1.4-015; VA-LCM-TC-0-0.071X-WD338-110  
 VA-LFM-65MP-35MM-F4-38C; VA-LCM-TC-0-0.077X-WD410-110  
 VA-LFM-65MP-50MM-F3.6-46C; VA-LCM-TC-0-0.095X-WD273-015  
 VA-LM12-5MP-04MM-F2.0-025; VA-LCM-TC-0-0.104X-WD263-015  
 VA-LM12-5MP-16MM-F2.0-020; VA-LCM-TC-0-0.123X-WD300-110  
 VA-LM12-5MP-25MM-F2.4-020; VA-LCM-TC-0-0.127X-WD208-015  
 VA-LM12-5MP-05MM-F2.5-018; VA-LCM-TC-0-0.135X-WD288-110  
 VA-LCM-10MP-08MM-F2.8-015; VA-LCM-TC-0-0.178X-WD158-015  
 VA-LM12-10MP-16MM-F2.2-015; VA-LCM-TC-0-0.204X-WD138-015  
 VA-LM12-10MP-05MM-F2.5-023; VA-LCM-TC-0-0.204X-WD208-110  
 VA-LFM-29MP-35MM-F2.8-45C; VA-LCM-TC-0-0.230X-WD228-110  
 VA-LCM-12MP-1040MM-F1.6-100-AFZ ; VA-LCM-TC-0-0.256X-WD178-110  
 VA-LCM-12MP-1140MM-F1.6-100; VA-LCM-TC-0-0.288X-WD158-110  
 VA-LM12-12MP-1.85MM-F2.0-018-FISH; VA-LCM-TC-0-0.317X-WD110-015  
 VA-LM12-12MP-03MM-F2.0-017; VA-LCM-TC-0-0.329X-WD138-110  
 VA-LM12-12MP-12MM-F5.6-017; VA-LCM-TC-0-0.438X-WD73-015  
 VA-LCS-12MP-1050MM-F1.4-017-AFZ; VA-LM58-TC-0-1.083X-WD110-39C  
 VA-LCS-3MP-2812MM-F1.4-025; VA-LM58-TC-0-0.813X-WD128-39C  
 VA-LM12-12MP-16MM-F5.6-017; VA-LM58-TC-0-0.696X-WD138-39C  
 VA-LM58-TC-0-0.609X-WD158-39C ; VA-LM58-TC-0-0.542X-WD178-39C  
 VA-LM58-TC-0-0.355X-WD263-39C; VA-LM58-TC-0-0.325X-WD273-39C  
 VA-LM58-TC-0-0.287X-WD288-39C; VA-LM58-TC-0-0.260X-WD300-39C  
 VA-LM58-TC-0-0.205X-WD330-39C; VA-LM58-TC-0-0.181X-WD372-39C  
 VA-LM58-TC-0-0.163X-WD410-39C; VA-LM58-TC-0-0.151X-WD338-39C  
 VA-LM58-TC-0-0.130X-WD465-39C  
 VA-LCM-6MP-6MM-F1.8-018-IC; VA-LCM-6MP-8MM-F1.8-018-IC  
 VA-LCM-6MP-12MM-F1.8-018-IC; VA-LCM-6MP-16MM-F1.8-018-IC  
 VA-LCM-6MP-25MM-F1.8-018-IC; VA-LCM-6MP-35MM-F1.8-018-IC  
 VA-LCM-6MP-75MM-F2.8-018-IC; VA-LCM-10MP-16MM-F1.6-100-IC  
 VA-LCM-10MP-20MM-F1.2-100-IC; VA-LCM-10MP-25MM-F1.2-100-IC  
 VA-LCM-10MP-35MM-F1.2-100-IC  
 VA-LCM-8MP-6MM-F4-015-RUG; VA-LCM-8MP-8MM-F4-015-RUG  
 VA-LCM-8MP-6MM-F4-015-RUG; VA-LCM-8MP-8MM-F4-015-RUG

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein.  
 This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.  
 It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation, and testing of the products with respect to the relevant specific application or use thereof.  
 Neither VA Imaging nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein or incorrect information in this document.



VA-LCM-8MP-12MM-F2.8-015-RUG; VA-LCM-8MP-16MM-F2.8-015-RUG  
VA-LCM-8MP-25MM-F2.5-015-RUG; VA-LCM-8MP-35MM-F2.8-015-RUG  
VA-LCM-8MP-50MM-F4-015-RUG

VA-LFT-BP450-CMT; VA-LFT-BP450-M35.5; VA-LFT-BP465-M25.5;  
VA-LFT-BP465-M27; VA-LFT-BP465-M30.5; VA-LFT-BP525-CMT;  
VA-LFT-BP525-M25.5; VA-LFT-BP525-M27; VA-LFT-BP525-M30.5;  
VA-LFT-BP525-M35.5; VA-LFT-BP630-CMT; VA-LFT-BP630-M25.5;  
VA-LFT-BP630-M27; VA-LFT-BP630-M30.5; VA-LFT-BP630-M35.5;  
VA-LFT-BP650-CMT; VA-LFT-BP830-CMT; VA-LFT-BP830-M25.5;  
VA-LFT-BP830-M27; VA-LFT-BP830-M30.5; VA-LFT-BP830-M35.5;  
VA-LFT-BP960-CMT; VA-LFT-BP960-M25.5; VA-LFT-BP960-M27;  
VA-LFT-BP960-M30.5; VA-LFT-BP960-M35.5; VA-LFT-LP420-M22.5;

VA-LFT-LP420-M27; VA-LFT-LP420-M30.5; VA-LFT-LPOL-300x200;  
VA-LFT-LPOL-M22.5; VA-LFT-LPOL-M25.5; VA-LFT-LPOL-M27;  
VA-LFT-LPOL-M30.5; VA-LFT-LPOL-M35.5; VA-LFT-UVIRCUT-CMT;  
VA-LFT-UVIRCUT-M22.5; VA-LFT-UVIRCUT-M25.5; VA-LFT-UVIRCUT-M27;  
VA-LFT-UVIRCUT-M30.5; VA-LFT-UVIRCUT-M35.5;

VA-LFT-DB850-M22.5; VA-LFT-DB850-M25.5; VA-LFT-DB850-M27;  
VA-LFT-DB850-M30.5; VA-LFT-DB850-M34; VA-LFT-DB850-M35.5;  
VA-LFT-DB850-M37; VA-LFT-DB850-M37.5; VA-LFT-DB850-CMT.

Tested acc. To: ROHS 2011/65/EU and 2015/863/EU

The undersigned declares that the above-named equipment conforms to the above Standard(s) and Directive(s)

Signature:



Name: Gaspar van Elmbt

Position: CEO

Date: 2025/05/23